


Place this Amsler grid in a location in your home where you can check it regularly.

The grid should appear to have straight horizontal and vertical lines with a dot in the center. This grid should not appear wavy or blurry. When doing this test, keep the following in mind:

- It is important to test each eye separately. So cover 1 eye and look at the grid with the other. Then repeat with the other eye
- Keep this grid at a normal reading distance—about 14 inches away
- Do not stare at the grid for long periods of time
- Make sure you are looking directly at the dot in the center of the grid
- If you normally wear glasses, wear them while looking at the grid
- Make sure you are looking at the grid with adequate lighting



Who is LUCENTIS for?

LUCENTIS[®] (ranibizumab injection) is a prescription medicine for the treatment of patients with Wet Age-Related Macular Degeneration (AMD) and Macular Edema following Retinal Vein Occlusion (RVO).

What important safety information should I know about LUCENTIS?

LUCENTIS is a prescription medication given by injection into the eye, and it has side effects. Some **LUCENTIS** patients have had detached retinas and serious eye infections. **LUCENTIS** should not be used in patients who have an infection in or around the eye or are allergic to **LUCENTIS** or any of its ingredients. **LUCENTIS** patients have had increases in eye pressure within 1 hour of an injection. Serious side effects also include inflammation inside the eye, and rarely, problems related to the injection procedure, such as cataracts. Although not common, some **LUCENTIS** patients have had strokes or heart attacks. If your eye becomes red, sensitive to light, painful, or has a change in vision, you should call or visit your eye doctor right away. Ask your doctor if you have questions or want more information.

For additional safety information, please talk to your doctor and see the LUCENTIS full prescribing information.