



SAMPLE CODING

Myopic Choroidal Neovascularization (mCNV)

| ТҮРЕ | CODE | | DESCRIPTION |
|--|-------------------------------|---------------|--|
| | H44.2A1 H44.2A2 H44.2A3 | | Degenerative myopia with choroidal neovascularization, right eye |
| Diagnosis: ICD-10-CM | | | Degenerative myopia with choroidal neovascularization, left eye |
| | | | Degenerative myopia with choroidal neovascularization, bilateral eye |
| Drug: HCPCS | J2778 | | Injection, ranibizumab, 0.1 mg (bill 5 units) |
| Drug: NDC | 10-digit 11-digit | | |
| Note: Payer requirements regarding use of a 10-digit or 11-digit NDC | 50242-080-02 | 50242-0080-02 | LUCENTIS 0.5-mg vial |
| may vary. Both formats are listed here for your reference. | 50242-080-03 | 50242-0080-03 | LUCENTIS 0.5-mg prefilled syringe |
| | 67028 | | Intravitreal injection of a pharmacologic agent (separate procedure) |
| Administration procedures: CPT | CPT modifier | -LT | Left eye modifier |
| | | -RT | Right eye modifier |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.

Many payers will not accept unspecified codes. If you use an unspecified code, please check with your payer.

LUCENTIS® and the Access Solutions logo are registered trademarks of Genentech, Inc.

For important safety information, please see LUCENTIS full prescribing information.







SAMPLE CODING

Diabetic Macular Edema (DME)

| TYPE | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E08.311 | Diabetes due to underlying condition with unspecified diabetic retinopathy with macular edema |
| | E08.3211 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| | E08.3212 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E08.3213 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E08.3219 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E08.3311 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| Diagnosis: ICD-10-CM | E08.3312 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| | E08.3313 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E08.3319 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E08.3411 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| | E08.3412 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| | E08.3413 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E08.3419 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E08.3511 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye |
| | E08.3512 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye |
| | E08.3513 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral |
| | E08.3519 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye |
| | E09.311 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| | E09.3211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| Diagnosis: ICD-10-CM | E09.3212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E09.3213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E09.3219 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E09.3311 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| | E09.3312 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| | E09.3313 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E09.3319 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|--|
| | E09.3411 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| | E09.3412 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| | E09.3413 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E09.3419 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E09.3511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| | E09.3512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| Diagnosis: ICD-10-CM | E09.3513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| | E09.3519 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| | E10.311 | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| | E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| | E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E10.3219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| | E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| CODE | DESCRIPTION |
|----------|---|
| E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| E10.3319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E10.3411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E10.3412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E10.3413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E10.3419 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E10.3511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| E10.3512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| E10.3513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| E10.3519 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| E11.311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| E11.3211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| E11.3212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E11.3213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E11.3219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E11.3311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| E11.3312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| | E10.3313 E10.3319 E10.3411 E10.3412 E10.3413 E10.3419 E10.3511 E10.3512 E10.3513 E10.3519 E11.311 E11.3211 E11.3211 E11.3212 E11.3213 E11.3219 E11.3311 |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E11.3313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E11.3319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E11.3411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| | E11.3412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| | E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E11.3419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| | E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| Diagnosis: ICD-10-CM | E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| | E11.3519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| | E13.311 | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| | E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| | E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | | DESCRIPTION |
|--|--------------|---------------|---|
| | E13.3312 | | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| | E13.3313 | | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E13.3319 | | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E13. | 3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| | E13.3412 | | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| Diagnosis: ICD-10-CM | E13.3413 | | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E13.3419 | | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E13.3511 | | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| | E13.3512 | | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| | E13. | 3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| | E13.3519 | | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| Drug: HCPCS | J2778 | | Injection, ranibizumab, 0.1 mg (bill 3 units) |
| Drug: NDC | 10-digit | 11-digit | |
| Note: Payer requirements regarding use of a 10-digit or 11-digit NDC | 50242-082-02 | 50242-0082-02 | LUCENTIS 0.3-mg vial |
| may vary. Both formats are listed here for your reference. | 50242-082-03 | 50242-0082-03 | LUCENTIS 0.3-mg prefilled syringe |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | | DESCRIPTION |
|--------------------------------|-----------------|-----|--|
| | 67028 | | Intravitreal injection of a pharmacologic agent (separate procedure) |
| Administration procedures: CPT | ODT was difficu | -LT | Left eye modifier |
| | CPT modifier | -RT | Right eye modifier |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.

Many payers will not accept unspecified codes. If you use an unspecified code, please check with your payer.

LUCENTIS® and the Access Solutions logo are registered trademarks of Genentech, Inc.

For important safety information, please see LUCENTIS full prescribing information.







SAMPLE CODING

Macular Edema Following Retinal Vein Occlusion (RVO)

| ТҮРЕ | CODE | | DESCRIPTION |
|--|--------------|---------------|--|
| | H34.8110 | | Central retinal vein occlusion, right eye, with macular edema |
| | H34.8120 | | Central retinal vein occlusion, left eye, with macular edema |
| | H34.8130 | | Central retinal vein occlusion, bilateral, with macular edema |
| | H34.8190 | | Central retinal vein occlusion, unspecified eye, with macular edema |
| Diagnosis: ICD-10-CM | H34.8310 | | Tributary (branch) retinal vein occlusion, right eye, with macular edema |
| | H34.8320 | | Tributary (branch) retinal vein occlusion, left eye, with macular edema |
| | H34.8330 | | Tributary (branch) retinal vein occlusion, bilateral, with macular edema |
| | H34.8390 | | Tributary (branch) retinal vein occlusion, unspecified eye, with macular edema |
| Drug: HCPCS | J27 | 778 | Injection, ranibizumab, 0.1 mg (bill 5 units) |
| Drug: NDC | 10-digit | 11-digit | |
| Note: Payer requirements regarding use of a 10-digit or 11-digit NDC | 50242-080-02 | 50242-0080-02 | LUCENTIS 0.5-mg vial |
| may vary. Both formats are listed here for your reference. | 50242-080-03 | 50242-0080-03 | LUCENTIS 0.5-mg prefilled syringe |
| | 67028 | | Intravitreal injection of a pharmacologic agent (separate procedure) |
| Administration procedures: CPT | 007 86 | -LT | Left eye modifier |
| | CPT modifier | -RT | Right eye modifier |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.

Many payers will not accept unspecified codes. If you use an unspecified code, please check with your payer.

LUCENTIS® and the Access Solutions logo are registered trademarks of Genentech, Inc.

For important safety information, please see LUCENTIS full prescribing information.







SAMPLE CODING

Diabetic Retinopathy (Non Proliferative DR [NPDR] and Proliferative DR [PDR])

| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|--|
| | E08.311 | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema |
| | E08.319 | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema |
| | E08.3211 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| | E08.3212 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E08.3213 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E08.3219 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| Diagnosis: ICD-10-CM | E08.3291 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| | E08.3292 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| | E08.3293 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E08.3299 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E08.3311 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| | E08.3312 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|--|
| | E08.3313 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E08.3319 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E08.3391 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| | E08.3392 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| | E08.3393 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| Diagnasia ICD 10 CM | E08.3399 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| Diagnosis: ICD-10-CM | E08.3411 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| | E08.3412 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| | E08.3413 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E08.3419 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E08.3491 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| | E08.3492 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|--|
| | E08.3493 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E08.3499 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E08.3511 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye |
| | E08.3512 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye |
| | E08.3513 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral |
| | E08.3519 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye |
| | E08.3521 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| Diagnosis: ICD-10-CM | E08.3522 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| | E08.3523 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| | E08.3529 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| | E08.3531 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| | E08.3532 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| | E08.3533 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|--|
| | E08.3539 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |
| | E08.3541 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| | E08.3542 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| | E08.3543 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| | E08.3549 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| | E08.3551 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye |
| Diagnosis: ICD-10-CM | E08.3552 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye |
| | E08.3553 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral |
| | E08.3559 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye |
| | E08.3591 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye |
| | E08.3592 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye |
| | E08.3593 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral |
| | E08.3599 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye |
| | E09.311 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| | E09.319 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| TYPE | CODE | DESCRIPTION |
|----------------------|----------|--|
| | E09.3211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| | E09.3212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E09.3213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E09.3219 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E09.3291 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| | E09.3292 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| Diagnosis: ICD-10-CM | E09.3293 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E09.3299 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E09.3311 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| | E09.3312 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| | E09.3313 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E09.3319 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E09.3391 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| | E09.3392 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| | E09.3393 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E09.3399 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E09.3411 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| Diagnosis: ICD-10-CM | E09.3412 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| Diagnosis: ICD-10-CM | E09.3413 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E09.3419 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E09.3491 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| | E09.3492 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| | E09.3493 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E09.3499 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| TYPE | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E09.3511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| | E09.3512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| | E09.3513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| | E09.3519 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| | E09.3521 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| | E09.3522 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| Diagnosis, ICD-10-CM | E09.3523 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| Diagnosis: ICD-10-CM | E09.3529 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| | E09.3531 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| | E09.3532 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| | E09.3533 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| | E09.3539 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |
| | E09.3541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E09.3542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| | E09.3543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| | E09.3549 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| | E09.3551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| | E09.3552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| | E09.3553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| | E09.3559 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye |
| Diagnosis: ICD-10-CM | E09.3591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| | E09.3592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| | E09.3593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| | E09.3599 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| | E10.311 | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema $$ |
| | E10.319 | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema |
| | E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| | E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E10.3219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| | E10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| | E10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E10.3299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| | E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| | E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| Diagnosis: ICD-10-CM | E10.3319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E10.3391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| | E10.3392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| | E10.3393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E10.3399 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E10.3411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| | E10.3412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| | E10.3413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E10.3419 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| TYPE | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E10.3491 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| | E10.3492 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| | E10.3493 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E10.3499 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E10.3511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| | E10.3512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| | E10.3513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| | E10.3519 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| Diagnosis: ICD-10-CM | E10.3521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| | E10.3522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| | E10.3523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| | E10.3529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| | E10.3531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| | E10.3532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| | E10.3533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E10.3539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |
| | E10.3541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| | E10.3542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| | E10.3543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| | E10.3549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| | E10.3551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| Diagnosis: ICD-10-CM | E10.3552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| | E10.3553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| | E10.3559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye |
| | E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| | E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| | E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| | E10.3599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| | E11.311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| | E11.319 | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E11.3211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| | E11.3212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E11.3213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E11.3219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E11.3291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| | E11.3292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| | E11.3293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E11.3299 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| Diagnosis: ICD-10-CM | E11.3311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| | E11.3312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| | E11.3313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E11.3319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E11.3391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| | E11.3392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| | E11.3393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E11.3399 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E11.3411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E11.3412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| | E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E11.3419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E11.3491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| | E11.3492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| | E11.3493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E11.3499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| Diagnosis: ICD-10-CM | E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| | E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| | E11.3519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| | E11.3521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| | E11.3522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| | E11.3523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| | E11.3529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| | E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E11.3532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| | E11.3533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| | E11.3539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |
| | E11.3541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| | E11.3542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| | E11.3543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| Diagnosis: ICD-10-CM | E11.3549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| | E11.3551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| | E11.3552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| | E11.3553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| | E11.3559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye |
| | E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| | E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| | E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| TYPE | CODE | DESCRIPTION |
|----------------------|----------|---|
| | E11.3599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| | E13.311 | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| | E13.319 | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema |
| | E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| | E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| | E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| Diagnosis: ICD-10-CM | E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| | E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| | E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E13.3299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| | E13.3312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| | E13.3313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E13.3319 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|--|
| Diagnosis: ICD-10-CM | E13.3391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| | E13.3392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| | E13.3393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E13.3399 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E13.3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| | E13.3412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| | E13.3413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| | E13.3419 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| | E13.3491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| | E13.3492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| | E13.3493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| | E13.3499 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| | E13.3511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| | E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| | E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| | E13.3519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | DESCRIPTION |
|----------------------|----------|--|
| Diagnosis: ICD-10-CM | E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| | E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| | E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| | E13.3529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| | E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| | E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| | E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| | E13.3539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |
| | E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| | E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| | E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| | E13.3549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| | E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





| ТҮРЕ | CODE | | DESCRIPTION |
|--|--------------|---------------|--|
| Diagnosis: ICD-10-CM | E13.3552 | | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| | E13.3553 | | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| | E13.3559 | | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye |
| | E13.3591 | | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| | E13.3592 | | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| | E13.3593 | | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| | E13.3599 | | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| Drug: HCPCS | J2778 | | Injection, ranibizumab, 0.1 mg (bill 3 units) |
| Drug: NDC | 10-digit | 11-digit | |
| Note: Payer requirements regarding use of a 10-digit or 11-digit NDC may vary. Both formats are listed | 50242-082-02 | 50242-0082-02 | LUCENTIS 0.3-mg vial |
| here for your reference. | 50242-082-03 | 50242-0082-03 | LUCENTIS 0.3-mg prefilled syringe |
| Administration procedures: CPT | 67028 | | Intravitreal injection of a pharmacologic agent (separate procedure) |
| | CPT modifier | -LT | Left eye modifier |
| | | -RT | Right eye modifier |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.

Many payers will not accept unspecified codes. If you use an unspecified code, please check with your payer.

LUCENTIS® and the Access Solutions logo are registered trademarks of Genentech, Inc.

For important safety information, please see LUCENTIS full prescribing information.







SAMPLE CODING

Wet-Age Related Macular Degeneration (wet AMD)

| ТҮРЕ | CODE | | DESCRIPTION |
|---|--------------|---------------|---|
| | H35.3210 | | Exudative age-related macular degeneration, right eye, stage unspecified |
| | H35.3211 | | Exudative age-related macular degeneration, right eye, with active choroidal neovascularization |
| | H35.3212 | | Exudative age-related macular degeneration, right eye, with inactive choroidal neovascularization |
| | H35.3220 | | Exudative age-related macular degeneration, left eye, stage unspecified |
| Diagnosis: ICD-10-CM | H35.3221 | | Exudative age-related macular degeneration, left eye, with active choroidal neovascularization |
| | H35.3222 | | Exudative age-related macular degeneration, left eye, with inactive choroidal neovascularization |
| | H35.3230 | | Exudative age-related macular degeneration, bilateral, stage unspecified |
| | H35.3231 | | Exudative age-related macular degeneration, bilateral, with active choroidal neovascularization |
| | H35.3232 | | Exudative age-related macular degeneration, bilateral, with inactive choroidal neovascularization |
| | H35.3290 | | Exudative age-related macular degeneration, unspecified eye, stage unspecified |
| | H35.3291 | | Exudative age-related macular degeneration, unspecified eye, with active choroidal neovascularization |
| | H35.3292 | | Exudative age-related macular degeneration, unspecified eye, with inactive choroidal neovascularization |
| Drug: HCPCS | J2778 | | Injection, ranibizumab, 0.1 mg (bill 5 units) |
| Drug: NDC | 10-digit | 11-digit | |
| Note: Payer requirements regarding use of a 10-digit or 11-digit NDC may vary. Both formats are listed here for your reference. | 50242-080-02 | 50242-0080-02 | LUCENTIS 0.5-mg vial |
| | 50242-080-03 | 50242-0080-03 | LUCENTIS 0.5-mg prefilled syringe |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.





Wet-Age Related Macular Degeneration (wet AMD) (cont)

| TYPE | CODE | | DESCRIPTION |
|--------------------------------|--------------|-----|--|
| Administration procedures: CPT | 67028 | | Intravitreal injection of a pharmacologic agent (separate procedure) |
| | CPT modifier | -LT | Left eye modifier |
| | | -RT | Right eye modifier |

CPT=Current Procedural Terminology; HCPCS=Healthcare Common Procedure Coding System; ICD-10-CM=International Classification of Diseases, 10th Revision, Clinical Modification; LT=left; NDC=National Drug Code; RT=right.

These codes are not all-inclusive; appropriate codes can vary by patient, setting of care and payer. Correct coding is the responsibility of the provider submitting the claim for the item or service. Please check with the payer to verify codes and special billing requirements. Genentech does not make any representation or guarantee concerning reimbursement or coverage for any service or item.

Many payers will not accept unspecified codes. If you use an unspecified code, please check with your payer.

LUCENTIS® and the Access Solutions logo are registered trademarks of Genentech, Inc.

For important safety information, please see LUCENTIS full prescribing information.

